

RHEINZINK America, Inc.

FLAT LOCK PANEL ROOF DETAILS


- DIAMOND
- RECTANGULAR
- SQUARE

INDEX OF DRAWINGS


- FLRP-1 - EAVE DETAIL
- FLRP-2 - BUILT-IN GUTTER DETAIL
- FLRP-3 - RIDGE / HIP DETAIL
- FLRP-4 - MONO-PITCH RIDGE DETAIL
- FLRP-5 - VALLEY DETAIL
- FLRP-6 - RAKE EDGE DETAIL
- FLRP-7 - CROSS JOINT DETAIL
- FLRP-8 - ROOF TO WALL TRANSITION DETAIL
- FLRP-9 - SIDEWALL DETAIL
- FLRP-10 - SKYLIGHT SILL DETAIL
- FLRP-11 - SKYLIGHT HEAD DETAIL
- FLRP-12 - SKYLIGHT JAMB DETAIL
- FLRP-13 - VENT PIPE PENETRATION DETAIL
- FLRP-14 - DIAMOND FABRICATION DETAIL
- FLRP-15A - RECTANGULAR FABRICATION DETAIL - HORIZONTAL
- FLRP-15B - RECTANGULAR FABRICATION DETAIL - VERTICAL
- FLRP-15C - RECTANGULAR FABRICATION DETAIL - HORIZONTAL FOLDED
- FLRP-15D - RECTANGULAR FABRICATION DETAIL - VERTICAL FOLDED
- FLRP-16 - SQUARE FABRICATION DETAIL

RHEINZINK FLAT LOCK PANEL
 AIR-Z OR ENKAMAT 7008 or 7010*
 FASTENER
 RHEINZINK STARTER FLASHING
 UNDERLAYMENT

SHEATHING



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010).




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	EAVE DETAIL	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-1
---	--------	--------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010).




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	BUILT-IN GUTTER DETAIL	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-2
---	--------	--------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010).




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	RIDGE / HIP DETAIL	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-3
---	--------	--------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010).




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	MONO-PITCH RIDGE DETAIL	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-4
---	--------	--------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010).




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT: FLAT LOCK ROOF PANEL DETAILS	DATE: 03-2026
DRAWING TITLE: VALLEY DETAIL	SCALE: N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET: FLRP-5
---	---------------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	RAKE EDGE DETAIL	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-6
---	--------	--------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	CROSS JOINT DETAIL	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-7
---	--------	--------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	ROOF TO WALLTRANSITION DETAIL	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-8
---	--------	--------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.




Website: www.rheinzink.us E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.


PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	SIDEWALL DETAIL	SCALE:	N.T.S.


COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-9
---	--------	--------




NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.

	
Website: www.rheinzink.us E-mail: info@rheinzink.com	
INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.	
PROJECT:	FLAT LOCK ROOF PANEL DETAILS
DATE:	03-2026
DRAWING TITLE:	SKYLIGHT SILL DETAIL
SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET: FLRP-10



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	SKYLIGHT HEAD DETAIL	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-11
---	--------	---------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	SKYLIGHT JAMB DETAIL	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-12
---	--------	---------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.





Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	VENT PIPE PENETRATION DETAIL	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-13
---	--------	---------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.





Website: www.rheinzink.us E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	DIAMOND FABRICATION DETAIL	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-14
---	--------	---------



* CLIP DETAIL

NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	RECTANGULAR FAB DETAIL - H	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-15A
---	--------	----------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK PANEL ROOF DETAILS	DATE:	03-2026
DRAWING TITLE:	RECTANGULAR FAB DETAIL - V	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-15B
---	--------	----------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.




Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK ROOF PANEL DETAILS	DATE:	03-2026
DRAWING TITLE:	RECT FAB DETAIL - H FOLDED	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-15C
---	--------	----------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.





Website: www.rheinzink.us E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK PANEL ROOF DETAILS	DATE:	03-2026
DRAWING TITLE:	RECT FAB DETAIL - V FOLDED	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-15D
---	--------	----------



* CLIP DETAIL



NOTES:

1. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
2. FLAT LOCK PANELS REQUIRE A MINIMUM OF 9:12 PITCH. FLAT LOCK PANEL ROOF SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008/7010) FLAT LOCK PANELS.



Website: www.rheinzink.us E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK GMBH & CO KG MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	FLAT LOCK PANEL ROOF DETAILS	DATE:	03-2026
DRAWING TITLE:	SQUARE FAB DETAIL	SCALE:	N.T.S.

COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET:	FLRP-16
---	--------	---------